


# BXG

# 451

## BXG-451

MEDIA®  
PRODUCTS



- ABS and polycarbonate stainless steel with 2 mm thickness
- Available finishes: silver and gold brushed stainless steel
- Pushbutton: Because of special design for this panel, pushbutton can not change
- Display: segment (showing numbers : -9 to 99), R200 with falling display in different
- Wall mounted with 12 mm thickness
- Dimension of LOP 270x12x80 mm

MEDIA®  
PRODUCTS

[www.MediaElevatorPanel.ir](http://www.MediaElevatorPanel.ir)

Chrome surround


high strength ABS and  
polycarbonate

Golden mirror surround


PMMA noir brillant haute résistance  
Glossy black PMMA high strength

*Perfect combination of elegance and compactness*

Mirror or hairline stainless steel panel



Silver stainless steel with  
2 mm thickness



Gold stainless steel with  
2 mm thickness

Dot matrix display  
Blue display  
Wide viewing angle of 140 ° Integrated  
behind black PMMA screen

**MEDIA**

Elevator Operating Panel Manufacturer

Fleche up / down

Hauteur / height : 40 mm

Level display according to EN 81-70

Hauteur / height : 30 mm

- Display from -9 to 29 levels
- G / RB / P / L / RH / H / RJ / ES / RC / T
- Maintenance
- No entry
- Charge
- Complete
- Cell
- Closing doors
- Doors opening
- Rescued mode

*The simplicity of design service !*

Dot or segment display, red, orange or blue light



Chrome surround or Gold mirror

**12 mm**

1. Surface mounted type
2. hairline stainless steel panel.
3. dot or segment display, red, orange or blue light
4. The panel could be plastic, hairline stainless steel, mirror stainless steel and glass panel
5. The display could be 7 segment, dot matrix, TFT and LCD display
6. Button with red, blue, white LED etc.
7. Easy installation
8. Easy adjusting the floors
9. Best choice for modernization and new elevator
10. Support parallel communication and serial communication

*The landing box thinnest on the market !*








Illumination by blue led

Chrome surround or Gold mirror

Arrow in opaque white translucent

International Braille

Stainless steel body or Golden




*An assemblage of materials studied  
for a perfect touch.*

**MEDIA**

Elevator Operating Panel Manufacturer




BXG Series  
80 x 185 x12mm




The most complete range  
of the market !

80 x 280 x12mm



180 x 350 x15mm





## Ultra-thin, surface mounted without box

ABS and polycarbonate stainless steel with 2 mm thickness

Available finishes: silver and gold brushed stainless steel

Pushbutton: Because of special design for this panel, pushbutton can not change

Display: segment , R200 with falling display in different colors

Wall mounted with 12 mm thickness

Dimension of panel 270x12x80 mm

# BXG 451

